

2
0
2
5

DIMENSIONAL CATALOG

Lead-Free Import Brass Fittings




DIMENSIONAL SPECIFICATIONS

90° Elbow

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)
XNL101-02	1/8"	0.08	0.54	0.25
XNL101-04	1/4"	0.10	0.71	0.32
XNL101-06	3/8"	0.17	0.82	0.36
XNL101-08	1/2"	0.23	1.01	0.43
XNL101-12	3/4"	0.34	1.18	0.50
XNL101-16	1"	0.62	1.43	0.58
XNL101-20	1-1/4"	1.10	1.69	0.67
XNL101-24	1-1/2"	1.36	1.84	0.70
XNL101-32	2"	2.02	2.12	0.75
XNL101-40	2-1/2"	3.80	2.70	0.92
XNL101-48	3"	5.87	3.08	0.98
XNL101-64	4"	10.62	3.79	1.08



90° Elbow

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)
XNL150-04	1/4"	0.19	0.81	0.32
XNL150-06	3/8"	0.30	0.95	0.36
XNL150-08	1/2"	0.48	1.12	0.43
XNL150-12	3/4"	0.80	1.31	0.50
XNL150-16	1"	1.16	1.50	0.58
XNL150-24	1-1/2"	2.40	1.94	0.70
XNL150-32	2"	4.34	2.25	0.75




DIMENSIONAL SPECIFICATIONS

90° Street Elbow

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL103-02	1/8"	0.06	0.54	0.92	0.27
XNL103-04	1/4"	0.11	0.71	1.11	0.41
XNL103-06	3/8"	0.16	0.82	1.24	0.41
XNL103-08	1/2"	0.24	1.01	1.48	0.54
XNL103-12	3/4"	0.36	1.18	1.65	0.55
XNL103-16	1"	0.60	1.43	1.98	0.69
XNL103-20	1-1/4"	0.92	1.69	2.24	0.71
XNL103-24	1-1/2"	1.42	1.84	2.46	0.73
XNL103-32	2"	2.03	2.12	2.88	0.76
XNL103-40	2-1/2"	4.56	2.74	3.92	0.92
XNL103-48	3"	6.14	3.10	4.45	0.98
XNL103-64	4"	11.23	3.80	5.63	1.08



90° Street Elbow

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL160-04	1/4"	0.14	1.11	1.11	0.41
XNL160-12	3/4"	0.63	1.69	1.69	0.55
XNL160-16	1"	1.07	1.98	1.98	0.69




DIMENSIONAL SPECIFICATIONS

90° Reducing Elbow

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL101-0402	1/4" x 1/8"	0.9	0.65	0.60	0.88
XNL101-0604	3/8" x 1/4"	0.14	0.75	0.78	0.92
XNL101-0806	1/2" x 3/8"	0.22	0.93	0.90	1.17
XNL101-1204	3/4" x 1/4"	0.26	0.81	1.42	1.35
XNL101-1206	3/4" x 3/8"	0.28	1.00	1.42	1.35
XNL101-1208	3/4" x 1/2"	0.34	1.08	1.11	1.35
XNL101-1608	1" x 1/2"	0.49	1.20	1.24	1.56
XNL101-1612	1" x 3/4"	0.51	1.30	1.31	1.56
XNL101-2012	1-1/4" x 3/4"	0.73	1.39	1.48	1.77
XNL101-2016	1-1/4" x 1"	0.86	1.52	1.60	1.77
XNL101-2412	1-1/2" x 3/4"	0.83	1.72	2.10	1.77
XNL101-2416	1-1/2" x 1"	0.99	1.55	1.72	1.80
XNL101-2420	1-1/2" x 1-1/4"	1.21	1.72	1.81	1.80
XNL101-3212	2" x 3/4"	1.26	2.10	2.92	2.03
XNL101-3216	2" x 1"	1.49	2.10	2.92	2.03
XNL101-3220	2" x 1-1/4"	1.76	1.89	2.92	2.03
XNL101-3224	2" x 1-1/2"	1.92	2.39	2.07	2.03
XNL101-4032	2-1/2" x 2"	3.32	2.83	2.60	3.15
XNL101-4840	3" x 2-1/2"	4.10	3.49	2.99	3.69




DIMENSIONAL SPECIFICATIONS

45° Elbow

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)
XNL102-02	1/8"	0.05	0.42	0.42
XNL102-04	1/4"	0.10	0.56	0.56
XNL102-06	3/8"	0.15	0.63	0.63
XNL102-08	1/2"	0.23	0.78	0.78
XNL102-12	3/4"	0.35	0.89	0.89
XNL102-16	1"	0.52	1.06	1.06
XNL102-20	1-1/4"	0.85	1.22	1.22
XNL102-24	1-1/2"	1.16	1.30	1.30
XNL102-32	2"	1.81	1.45	1.45
XNL102-40	2-1/2"	3.31	1.95	1.95
XNL102-48	3"	4.70	2.17	2.17
XNL102-64	4"	8.47	2.61	2.61



45° Street Elbow

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)	D (IN.)
XNL103A-02	1/8"	0.06	0.26	0.42	0.27	0.78
XNL103A-08	1/2"	0.20	0.45	0.78	0.54	1.06
XNL103A-12	3/4"	0.31	0.52	0.89	0.55	1.23
XNL103A-16	1"	0.51	0.60	1.06	0.69	1.40
XNL103A-20	1-1/4"	0.79	0.67	1.22	0.71	1.64
XNL103A-24	1-1/2"	1.08	0.70	1.30	0.73	1.80
XNL103A-32	2"	1.75	0.76	1.45	0.76	2.14




DIMENSIONAL SPECIFICATIONS

Tee

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL106-02	1/8"	0.10	0.54	0.26	0.67
XNL106-04	1/4"	0.14	0.71	0.35	0.81
XNL106-06	3/8"	0.23	0.82	0.37	1.00
XNL106-08	1/2"	0.34	1.01	0.45	1.17
XNL106-12	3/4"	1.45	1.18	0.52	1.42
XNL106-16	1"	0.90	1.43	0.60	1.72
XNL106-20	1-1/4"	1.45	1.69	0.67	2.10
XNL106-24	1-1/2"	1.77	1.84	0.70	2.38
XNL106-32	2"	2.78	2.12	0.76	2.92
XNL106-40	2-1/2"	5.23	2.70	0.93	3.49
XNL106-48	3"	7.26	3.08	1.00	4.20
XNL106-64	4"	13.28	3.79	1.10	5.31



Tee

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL153-04	1/4"	0.27	0.81	0.38	0.93
XNL153-08	1/2"	0.66	1.12	0.50	1.34
XNL153-12	3/4"	1.10	1.31	0.56	1.63
XNL153-16	1"	1.71	1.50	0.62	1.95
XNL153-24	1-1/2"	3.67	1.94	0.75	2.68




*Conforms with lead content requirements for lead-free plumbing as defined by the U.S. California Safe Drinking Water Act. Certified <0.25 weighted average % lead.

DIMENSIONAL SPECIFICATIONS

Reducing Tee

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL106-040402	1/4" x 1/4" x 1/8"	0.11	0.65	0.65	0.60
XNL106-060604	3/8" x 3/8" x 1/4"	0.19	0.75	0.75	0.78
XNL106-080804	1/2" x 1/2" x 1/4"	0.27	0.87	0.87	0.87
XNL106-080806	1/2" x 1/2" x 3/8"	0.29	0.93	0.93	0.90
XNL106-080812	1/2" x 1/2" x 3/4"	0.42	1.22	1.22	1.20
XNL106-120808	3/4" x 1/2" x 1/2"	0.46	1.08	1.01	1.11
XNL106-120812	3/4" x 1/2" x 3/4"	0.51	1.18	1.11	1.18
XNL106-121206	3/4" x 3/4" x 3/8"	0.46	1.00	1.00	1.00
XNL106-121208	3/4" x 3/4" x 1/2"	0.46	1.08	1.08	1.11
XNL106-121216	3/4" x 3/4" x 1"	0.70	1.22	1.22	1.20
XNL106-160808	1" x 1/2" x 1/2"	0.57	1.31	1.22	1.31
XNL106-161208	1" x 3/4" x 1/2"	0.59	1.26	1.20	1.36
XNL106-161212	1" x 3/4" x 3/4"	0.67	1.37	1.31	1.45
XNL106-161604	1" x 1" x 1/4"	0.57	1.04	1.04	1.13
XNL106-161608	1" x 1" x 1/2"	0.69	1.20	1.20	1.24
XNL106-161612	1" x 1" x 3/4"	0.71	1.30	1.30	1.31
XNL106-202012	1-1/4" x 1-1/4" x 3/4"	1.03	1.30	1.30	1.31
XNL106-202016	1-1/4" x 1-1/4" x 1"	1.16	1.58	1.58	1.67
XNL106-242408	1-1/2" x 1-1/2" x 1/2"	1.21	1.32	1.32	1.53
XNL106-242412	1-1/2" x 1-1/2" x 3/4"	1.27	1.42	1.42	1.60
XNL106-242416	1-1/2" x 1-1/2" x 1"	1.41	1.55	1.55	1.72
XNL106-242420	1-1/2" x 1-1/2" x 1-1/4"	1.52	1.72	1.72	1.81
XNL106-323208	2" x 2" x 1/2"	1.87	1.49	1.49	1.88
XNL106-323212	2" x 2" x 3/4"	1.96	1.47	1.47	1.84
XNL106-323216	2" x 2" x 1"	2.17	1.60	1.60	1.98
XNL106-323220	2" x 2" x 1-1/4"	2.20	1.77	1.77	2.04
XNL106-323224	2" x 2" x 1-1/2"	2.44	2.02	2.02	2.16




DIMENSIONAL SPECIFICATIONS

Cap

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	G1 (IN.)	G2 (IN.)	A (IN.)
XNL116-02	1/8"	0.03	0.08	0.09	0.25
XNL116-04	1/4"	0.06	0.08	0.10	0.32
XNL116-06	3/8"	0.09	0.09	0.11	0.36
XNL116-08	1/2"	0.13	0.09	0.12	0.45
XNL116-12	3/4"	0.20	0.10	0.13	0.50
XNL116-16	1"	0.30	0.11	0.15	0.58
XNL116-20	1-1/4"	0.51	0.12	0.17	0.67
XNL116-24	1-1/2"	0.65	0.13	0.19	0.70
XNL116-32	2"	0.99	0.15	0.22	0.75
XNL116-40	2-1/2"	2.02	0.17	0.25	0.92
XNL116-48	3"	2.64	0.19	0.29	0.98
XNL116-64	4"	4.64	0.22	0.36	1.08



Cap

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)
XNL158-16	1"	0.59	0.17	0.19




DIMENSIONAL SPECIFICATIONS

Coupling

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL111-02	1/8"	0.05	0.56	0.25	0.80
XNL111-04	1/4"	0.08	0.69	0.32	0.97
XNL111-06	3/8"	0.13	0.84	0.36	1.05
XNL111-08	1/2"	0.20	1.06	0.43	1.29
XNL111-12	3/4"	0.29	1.31	0.50	1.43
XNL111-16	1"	0.48	1.70	0.58	1.68
XNL111-20	1-1/4"	0.71	2.03	0.67	1.86
XNL111-24	1-1/2"	0.93	2.30	0.70	1.92
XNL111-32	2"	1.48	2.81	0.75	2.20
XNL111-40	2-1/2"	2.91	3.59	0.92	2.88
XNL111-48	3"	3.89	4.16	0.98	3.18
XNL111-64	4"	6.42	5.27	1.08	3.69



Coupling

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)
XNL157-04	1/4"	0.15	1.06	0.32
XNL157-32	2"	3.10	2.53	0.70




DIMENSIONAL SPECIFICATIONS

Reducing Coupling

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL112-0402	1/4" x 1/8"	0.08	0.67	0.81	0.88
XNL112-0602	3/8" x 1/8"	0.09	0.67	1.00	0.89
XNL112-0604	3/8" x 1/4"	0.11	0.81	1.00	0.92
XNL112-0802	1/2" x 1/8"	0.15	0.67	1.17	1.17
XNL112-0804	1/2" x 1/4"	0.16	0.81	1.17	1.17
XNL112-0806	1/2" x 3/8"	0.18	1.00	1.17	1.17
XNL112-1204	3/4" x 1/4"	0.21	0.81	1.42	1.35
XNL112-1206	3/4" x 3/8"	0.23	1.00	1.42	1.35
XNL112-1208	3/4" x 1/2"	0.25	1.17	1.42	1.35
XNL112-1606	1" x 3/8"	0.34	1.00	1.72	1.56
XNL112-1608	1" x 1/2"	0.39	1.17	1.72	1.56
XNL112-1612	1" x 3/4"	0.38	1.42	1.72	1.56
XNL112-2008	1-1/4" x 1/2"	0.52	1.17	2.10	1.77
XNL112-2012	1-1/4" x 3/4"	0.55	1.42	2.10	1.77
XNL112-2016	1-1/4" x 1"	0.64	1.72	2.10	1.77
XNL112-2408	1-1/2" x 1/2"	0.78	1.17	2.38	1.80
XNL112-2412	1-1/2" x 3/4"	0.72	1.42	2.38	1.80
XNL112-2416	1-1/2" x 1"	0.77	1.72	2.38	1.80
XNL112-2420	1-1/2" x 1-1/4"	0.82	2.10	2.38	1.80
XNL112-3208	2" x 1/2"	1.16	1.17	2.92	2.03
XNL112-3212	2" x 3/4"	1.07	1.42	2.92	2.03
XNL112-3216	2" x 1"	1.14	1.72	2.92	2.03
XNL112-3220	2" x 1-1/4"	1.18	2.10	2.92	2.03
XNL112-3224	2" x 1-1/2"	1.26	2.38	2.92	2.03
XNL112-4020	2-1/2" x 1-1/4"	2.21	2.10	3.49	3.25
XNL112-4024	2-1/2" x 1-1/2"	2.56	2.38	3.49	3.25
XNL112-4032	2-1/2" x 2"	2.48	2.92	3.49	3.25
XNL112-4824	3" x 1-1/2"	2.36	2.92	4.20	3.69
XNL112-4832	3" x 2"	3.56	2.92	4.20	3.69
XNL112-4840	3" x 2-1/2"	3.95	3.49	4.20	3.69
XNL112-6448	4" x 3"	6.68	4.20	5.31	4.38




*Conforms with lead content requirements for lead-free plumbing as defined by the U.S. California Safe Drinking Water Act. Certified <0.25 weighted average % lead.

DIMENSIONAL SPECIFICATIONS

Cross

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL110-04	1/4"	0.17	0.71	0.34	0.81
XNL110-08	1/2"	0.44	1.01	0.45	1.17
XNL110-12	3/4"	0.64	1.18	0.52	1.42
XNL110-16	1"	1.07	1.43	0.60	1.72
XNL110-24	1-1/2"	2.21	1.84	0.70	2.38
XNL110-32	2"	3.27	2.12	0.76	2.92



Hex Locknut

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL119-02	1/8"	0.02	0.19	0.50	0.04
XNL119-04	1/4"	0.03	0.25	0.66	0.06
XNL119-06	3/8"	0.04	0.28	0.77	0.06
XNL119-08	1/2"	0.10	0.31	0.97	0.06
XNL119-12	3/4"	0.12	0.34	1.23	0.06
XNL119-16	1"	0.19	0.38	1.50	0.06
XNL119-20	1-1/4"	0.29	0.42	1.86	0.06
XNL119-24	1-1/2"	0.50	0.47	2.12	0.06
XNL119-32	2"	0.62	0.53	2.63	0.09





DIMENSIONAL SPECIFICATIONS

Hex Bushing

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL114-0802	1/2" x 1/8"	0.11	0.56	0.25	0.19
XNL114-0804	1/2" x 1/4"	0.10	0.56	0.32	0.19
XNL114-0806	1/2" x 3/8"	0.08	0.56	0.41	0.19
XNL114-1202	3/4" x 1/8"	0.17	0.63	0.38	0.25
XNL114-1204	3/4" x 1/4"	0.16	0.63	0.32	0.22
XNL114-1206	3/4" x 3/8"	0.17	0.63	0.36	0.22
XNL114-1208	3/4" x 1/2"	0.13	0.63	0.53	0.22
XNL114-1604	1" x 1/4"	0.24	0.75	0.32	0.30
XNL114-1606	1" x 3/8"	0.25	0.75	0.36	0.30
XNL114-1608	1" x 1/2"	0.27	0.75	0.43	0.25
XNL114-1612	1" x 3/4"	0.22	0.75	0.50	0.25
XNL114-2004	1-1/4" x 1/4"	0.34	0.80	0.32	0.34
XNL114-2006	1-1/4" x 3/8"	0.29	0.81	0.36	0.34
XNL114-2008	1-1/4" x 1/2"	0.36	0.80	0.43	0.34
XNL114-2012	1-1/4" x 3/4"	0.45	0.80	0.50	0.28
XNL114-2016	1-1/4" x 1"	0.36	0.80	0.58	0.28
XNL114-2404	1-1/2" x 1/4"	0.47	0.81	0.32	0.34
XNL114-2406	1-1/2" x 3/8"	0.43	0.81	0.36	0.34
XNL114-2408	1-1/2" x 1/2"	0.50	0.83	0.43	0.37
XNL114-2412	1-1/2" x 3/4"	0.50	0.83	0.50	0.37
XNL114-2416	1-1/2" x 1"	0.56	0.83	0.58	0.31
XNL114-2420	1-1/2" x 1-1/4"	0.40	0.83	0.71	0.31
XNL114-3208	2" x 1/2"	0.70	0.88	0.43	0.43
XNL114-3212	2" x 3/4"	0.77	0.88	0.50	0.41
XNL114-3216	2" x 1"	0.56	0.88	0.58	0.41
XNL114-3220	2" x 1-1/4"	0.95	0.88	0.67	0.41
XNL114-3224	2" x 1-1/2"	0.72	0.88	0.70	0.34
XNL114-4016	2-1/2" x 1"	1.20	1.09	0.59	0.44
XNL114-4020	2-1/2" x 1-1/4"	1.68	1.07	0.69	0.44
XNL114-4024	2-1/2" x 1-1/2"	1.31	1.07	0.72	0.44
XNL114-4032	2-1/2" x 2"	1.24	1.07	0.75	0.37
XNL114-4824	3" x 1-1/2"	1.92	1.07	0.72	0.50
XNL114-4832	3" x 2"	2.69	1.13	0.75	0.48
XNL114-4840	3" x 2-1/2"	2.08	1.13	0.92	0.40
XNL114-6432	4" x 2"	3.29	1.22	0.75	0.60
XNL114-6448	4" x 3"	3.51	1.22	0.98	0.50




*Conforms with lead content requirements for lead-free plumbing as defined by the U.S. California Safe Drinking Water Act. Certified <0.25 weighted average % lead.

DIMENSIONAL SPECIFICATIONS

Square Head Cored Plug

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL117-08	1/2"	0.10	0.54	0.56	0.38
XNL117-12	3/4"	0.14	0.55	0.63	0.44
XNL117-16	1"	0.26	0.69	0.81	0.50
XNL117-20	1-1/4"	0.37	0.71	0.94	0.56
XNL117-24	1-1/2"	0.50	0.73	1.13	0.62
XNL117-32	2"	0.77	0.76	1.31	0.68
XNL117-40	2-1/2"	1.34	1.07	1.50	0.74
XNL117-48	3"	1.94	1.13	1.69	0.80
XNL117-64	4"	3.20	1.22	2.25	0.92



Square Head Solid Plug

Lead-Free Import Brass Fittings* 125 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)	B (IN.)	C (IN.)
XNL117A-06	3/8"	0.07	0.41	0.44	0.31
XNL117A-08	1/2"	0.13	0.54	0.56	0.38
XNL117A-12	3/4"	0.20	0.55	0.63	0.44
XNL117A-16	1"	0.39	0.69	0.81	0.50
XNL117A-20	1-1/4"	0.62	0.71	0.94	0.56
XNL117A-24	1-1/2"	0.87	0.73	1.13	0.62
XNL117A-32	2"	1.40	0.76	1.31	0.68
XNL117A-40	2-1/2"	2.64	1.07	1.50	0.74
XNL117A-48	3"	4.00	1.13	1.69	0.80
XNL117A-64	4"	7.37	1.22	2.25	0.92




DIMENSIONAL SPECIFICATIONS

Union

Lead-Free Import Brass Fittings* 125 LB.


Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)
XNL187-02	1/8"	0.15	1.17
XNL187-04	1/4"	0.24	1.25
XNL187-06	3/8"	0.39	1.48
XNL187-08	1/2"	0.46	1.56
XNL187-12	3/4"	0.69	1.87
XNL187-16	1"	1.01	2.11
XNL187-20	1-1/4"	1.48	2.34
XNL187-24	1-1/2"	1.90	2.65
XNL187-32	2"	2.77	2.96
XNL187-40	2-1/2"	4.71	3.32
XNL187-48	3"	6.60	3.71
XNL187-64	4"	12.50	4.60



Union

Lead-Free Import Brass Fittings* 250 LB.

Part #	Size (IN.)	Approx. Net WT. (LB.)	A (IN.)
XNL190-04	1/4"	0.35	1.56
XNL190-08	1/2"	0.65	2.00
XNL190-12	3/4"	1.10	2.13
XNL190-16	1"	1.35	2.44
XNL190-24	1-1/2"	3.02	2.81
XNL190-32	2"	4.28	3.19



LOCATIONS

SPARKS DISTRIBUTION CENTER
200 Vista Boulevard Suite #106
Sparks, NV 89434

LONG BEACH PIPE DEPOT
2396 E. Artesia Blvd
Long Beach, CA 90805

DALLAS DISTRIBUTION CENTER
10614 King William Drive
Dallas, TX 75220


CLEVELAND HEADQUARTERS
One Merit Drive/PO Box 43127
Cleveland, OH 44143

BIRMINGHAM DISTRIBUTION CENTER
220 Oxmoor Court
Birmingham, AL 35209

HOUSTON DISTRIBUTION CENTER
4680 S. Sam Houston Pkwy W, Suite 120
Houston, TX 77053


SHIPPING TIMES

UPS



1 Day 2 Days 3 Days

FedEx



1 Day 2 Days 3 Days 4 Days

*FedEx is Merit's Primary Carrier

LEARN MORE



800.726.9800

Follow us on [f](#) [X](#) [in](#) [@](#) [v](#) [p](#)

Merit Brass Headquarters Has An ISO 9001:2015 Registered Quality Management System

WWW.MERITBRASS.COM

www.mbwebxpress.com

contactus@meritbrass.com